

# Records

## Pediatric Post-Transplant Malignancy Worksheet

FORM APPROVED: O.M.B. NO. 0915-0157 Expiration Date: 10/31/2010

Note: These worksheets are provided to function as a guide to what data will be required in the online TIEDI<sup>®</sup> application. Currently in the worksheet, a red asterisk is displayed by fields that are required, independent of what other data may be provided. Based on data provided through the online TIEDI<sup>®</sup> application, additional fields that are dependent on responses provided in these required fields may become required as well. However, since those fields are not required in every case, they are not marked with a red asterisk.

### RECIPIENT INFORMATION

<b>Recipient name:</b>	<b>Date of birth:</b>
<b>Recipient SSN:</b>	<b>Recipient organ:</b>
<b>TRF:</b>	<b>Follow-up code:</b>
<b>Transplant date:</b>	
<b>Follow-up center::</b>	
<b>Recipient Center:</b>	

### DONOR RELATED

#### Tumors transmitted from the donor

**Diagnosis date:**

- Immunosuppression:**
- Immunosuppression Stopped
  - Immunosuppression Reduced
  - No Immunosuppression Adjustment
- Tumor type:**
- Primary to the transplanted organ
  - Not primary to the transplanted organ

#### Specify treatment:

Surgical resection tumor

Chemotherapy:

**Other specify:**

Radiation

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

**Other specify:**

**Other treatment specify:**

Outcome:

- Alive, Free of Tumor
- Alive with Tumor
- Dead, due to tumor
- Dead, other causes

### RECURRENCE OF PRETRANSPLANT MALIGNANCY

Type of pre-existing tumor:

If skin # of occurrences in follow-up period:

If Color-rectal, Duke's Classification:

- A
- B
- C
- Unknown

If Lymphoma specify type:

If Leukemia:

- AML
- ALL
- MDS
- CML
- CLL
- Other

If other cancer, specify:

Treatments of pre-existing tumor:

Treatment date:

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Other specify:

Chemotherapy:

Other specify:

Radiation

Other treatment specify:

Date of recurrence (post tx):

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Treatments of recurrent tumor:

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

Other specify:

Chemotherapy:

Other specify:

Radiation

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Other specify:

Other treatment specify:

Outcome:

Alive, Free of Tumor

Alive with Tumor

Dead, due to tumor

Dead, other causes

## POST TRANSPLANT DE NOVO SOLID TUMOR

Select one or more tumor types:

Skin, squamous cell:

Sites:  Single  Multiple

Site Location:  Lips/Head/Neck  Extremities  Trunk

Spread:  None  Nodes  Other:

# of Occurrences:  Status:

**Treatment Information:**

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Hormonal Therapy

Interferon Alpha

Immunotherapy:

Prednisone

Rituximab

Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Skin, basal cell:

Sites:  Single  Multiple

Site Location:  Lips/Head/Neck  Extremities  Trunk

Spread:  None  Nodes  Other:

# of Occurrences:  Status:

**Treatment Information:**

Site(s) affected:

- Primary organ
- Regional lymph nodes
- Adjacent organs
- Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Surgery:

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

- Hormonal Therapy
- Interferon Alpha

Immunotherapy:

- Prednisone
- Rituximab
- Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Skin, melanoma:

Sites:  Single  Multiple

Site Location:  Lips/Head/Neck  Extremities  Trunk

Spread:  None  Nodes  Other:

# of Occurrences:  Status:

Treatment Information:

Site(s) affected:

- Primary organ
- Regional lymph nodes
- Adjacent organs
- Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

- Biopsy
- Resection
- Limited Resection; debulking

Surgery:

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Kaposi's sarcoma: cutaneous:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Biopsy

Surgery:

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

Resection

Limited Resection; debulking

Other, specify

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Kaposi's sarcoma: visceral:

**Treatment Information:**

**Site(s) affected:**

Primary organ

Adjacent organs

Regional lymph nodes

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

**Brain:**

- Astrocytoma
- Medulloblastoma
- Glioblastoma Multiforme
- Neuroblastoma
- Meningioma, Malignant
- Meningioma, Benign
- Angioblastoma

Other Specify

Other specify:

**Treatment Information:**

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Renal carcinoma - specify site(s):

Renal carcinoma:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Hormonal Therapy

Interferon Alpha

Immunotherapy:

Prednisone

Rituximab

Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Carcinoma of vulva, perineum or penis, scrotum:

Treatment Information:

Site(s) affected:

- Primary organ
- Regional lymph nodes
- Adjacent organs
- Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Carcinoma of the uterus:

- Cervix, invasive
- Cervix, in situ
- Body, endometrium

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Hormonal Therapy

Immunotherapy:

Interferon Alpha

Prednisone

Rituximab

Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Ovarian:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Biopsy

Resection

Limited Resection; debulking

Other, specify

Surgery:

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Testicular:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Surgery:

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

**Esophagus:**

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Biopsy

Resection

Limited Resection; debulking

Surgery:

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Immunotherapy:

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Stomach:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Biopsy

Surgery:

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

Resection

Limited Resection; debulking

Other, specify

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Small intestine:

**Treatment Information:**

**Site(s) affected:**

Primary organ

Adjacent organs

Regional lymph nodes

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

**Pancreas:**

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

Immunosuppression Stopped

**Immunosuppression:**

- Immunosuppression Reduced
- No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Larynx:

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Tongue, throat:

Treatment Information:

Site(s) affected:

- Primary organ
- Adjacent organs

- Regional lymph nodes
- Distant metastases

**Diagnosis date:**

**Immunosuppression:**

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

**Thyroid:**

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Bladder:

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Breast:

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

Progressive disease (PD)

- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Prostate:

**Treatment Information:**

**Site(s) affected:**

- Primary organ
- Adjacent organs
- Regional lymph nodes
- Distant metastases

**Diagnosis date:**

**Immunosuppression:**

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Immunotherapy:

**Other specify:**

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Colo-rectal:

Dukes classification:

- A
- B
- C
- Unknown

Treatment Information:

Site(s) affected:

- Primary organ
- Adjacent organs
- Regional lymph nodes
- Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

- Surgery:
  - Biopsy
  - Resection
  - Limited Resection; debulking
  - Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

- Hormonal Therapy

Immunotherapy:

Interferon Alpha

Prednisone

Rituximab

Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Primary hepatic tumor:

Specify type:

Hepatocellular Carcinoma

Cholangiocarcinoma

Epithelioid-Hemangio-Endothelioma

Hepatoblastoma

Hemangiosarcoma

Other

Other specify:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Surgery:

**Other specify:**

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

**Other specify:**

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Metastatic liver tumor:

**Specify original site:**

- Stomach Adenocarcinoma
- Colon Adenocarcinoma
- Breast Carcinoma
- Pancreas Carcinoma
- Bronchial Carcinoma
- Carcinoid (Neuroendocrine)

Other

Other specify:

**Treatment Information:**

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

Specify treatment:

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Immunotherapy:

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Lung:

Small cell  Non-small cell

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

**Immunosuppression:**

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

Biopsy

Resection

Limited Resection; debulking

Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Leukemia:

- AML
- ALL
- MDS
- CML
- CLL
- Other

**Treatment Information:**

**Site(s) affected:**

- Primary organ
- Adjacent organs
- Regional lymph nodes
- Distant metastases

**Diagnosis date:**

**Immunosuppression:**

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Sarcomas:

Site(s):

Specify type:

Other specify:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

- Immunosuppression Stopped
- Immunosuppression Reduced
- No Immunosuppression Adjustment

Specify treatment:

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking

Other, specify

Other specify:

Cryotherapy (skin cancer)

Chemotherapy:

Other specify:

Immunotherapy:

Hormonal Therapy

Interferon Alpha

Prednisone

Rituximab

Other, specify

Other specify:

Radiation

Other treatment:

Best treatment response:

Progressive disease (PD)

Partial response (PR)

No treatment (NT)

Too early in treatment to evaluate (TE)

Stable disease (SD)

Complete response (CR)

Other cancers:

Site(s):

Specify type:

Treatment Information:

Site(s) affected:

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

Diagnosis date:

Immunosuppression:

Immunosuppression Stopped

Immunosuppression Reduced

No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

Primary unknown:

**Treatment Information:**

**Site(s) affected:**

Primary organ

Regional lymph nodes

Adjacent organs

Distant metastases

**Diagnosis date:**

Immunosuppression Stopped

**Immunosuppression:**

- Immunosuppression Reduced
- No Immunosuppression Adjustment

**Specify treatment:**

Surgery:

- Biopsy
- Resection
- Limited Resection; debulking
- Other, specify

**Other specify:**

Cryotherapy (skin cancer)

Chemotherapy:

**Other specify:**

Immunotherapy:

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

**Other specify:**

Radiation

**Other treatment:**

**Best treatment response:**

- Progressive disease (PD)
- Partial response (PR)
- No treatment (NT)
- Too early in treatment to evaluate (TE)
- Stable disease (SD)
- Complete response (CR)

**Outcome:**

- Alive, Free of Tumor
- Alive with Tumor
- Dead, due to tumor
- Dead, other causes

**POST TX LYMPHOPROLIFERATIVE DISEASE AND LYMPHOMA**

Diagnosis date:

Pathology:

- Polymorphic Hyperplasia
- Polymorphic PTLD(lymphoma)
- Monomorphic PTLD(lymphoma)
- Mutiple Myeloma, Plasmacytoma
- Hodgkin's Disease
- Other, Specify

Other Specify:

Clonality:

- Monoclonal
- Polyclonal
- Oligoclonal
- Unknown

Predominant cell type:

- B Cell
- T Cell
- Other Specify
- Unknown

Other specify:

Epstein-Barr virus (EBV) status of tumor:

- EBV positive
- EBV negative
- Unknown

Anatomy:

- Single site
- Multiple sites

Lymph Nodes:

- YES
- NO

Gastrointestinal

- Stomach
- Small intestine
- Colon

Allograft

- Lung
- Bone marrow
- CNS
- Liver

Other specify:

Ann Arbor stage:

- I
- II
- III
- IV
- Unknown

**PTLD Treatment**

Abbreviations: PD-Progressive disease PR=Partial response SD-Stable disease CR-Complete response TE-Too early in treatment to evaluate

**1. Reduction/Cessation of immunosuppression:**

YES  NO

**Best response:**

PD  SD  PR  CR  TE

**2. Surgery**

**Type:**

- Biopsy
- Resection
- Limited Resection; debulking
- No Surgery
- Other, specify

**Other specify:**

**Best response:**

PD  SD  PR  CR  TE

**3. Anti-viral therapy:**

YES  NO

**Drug 1:**

- Acyclovir
- Cytogam
- Cytovene
- Foscarnet
- Ganciclovir
- IVIG
- Valtrex
- Other, specify

**Other specify:**

**Best response:**

PD  SD  PR  CR  TE

**Drug 2:**

- Acyclovir
- Cytogam
- Cytovene
- Foscarnet
- Ganciclovir

- IVIG
- Valtrex
- Other, specify

Other specify:

Best response:  PD  SD  PR  CR  TE

4. Chemotherapy:  YES  NO

Drug/Regimen 1:

Other specify:

Best response:  PD  SD  PR  CR  TE

Drug/Regimen 2:

Other specify:

Best response:  PD  SD  PR  CR  TE

5. Radiation therapy:  YES  NO

Best Response:  PD  SD  PR  CR  TE

6. Immunotherapy:  YES  NO

- Hormonal Therapy
- Interferon Alpha
- Prednisone
- Rituximab
- Other, specify

Type:

Other specify:

Best response:  PD  SD  PR  CR  TE

UNOS View Only

Comments:

